SAMA's 2015 Cost Guide

Filing Instructions – Amendment #1 April 11, 2017

Amendments to SAMA's 2015 Cost Guide are enclosed. Please follow these filing instructions to update your guide:

Each amended page has been listed in the table below to assist you in updating your guide.

Remove the pages indicated and **insert** the new pages as follows:

	Remove	Insert	Complete (√)
	Title Page	Title Page	
Improvements	3.3, Page 1	3.3, Page 1	
Residential Adjustments	4.3, Page 1	4.3, Page 1	
Residential Dwellings	5.8, Page 11	5.8, Page 11	
Residential Outbuildings	6.2, Pages 1-2	6.2, Pages 1-2	
Residential Outbuildings	6.2, Pages 5-7	6.2, Pages 5-7	
Residential Outbuildings	6.2, Page 9	6.2, Page 9	

Date	Filled by

SAMA's 2015 Cost Guide Amendment #1 Summary of Guide Revisions

Topic/Location	2015 Cost Guide Amendment
1. Replacement Cost New Measurement of Buildings and Structures No. 3.3, Page 1	Add "half" to the following sentence: All building and structure measurements are imperial or metric standards. Linear measurements are determined to the nearest "half" foot.
2. Main Dwellings Detached Garage Significantly Different from the Main Dwelling Exceptions Table No. 4.3, Page 1	Add "Very Low" under Quality of Detached Garage for the following Single Family or Multi- Family Dwelling; A-Frame Summer Cottage; Manufactured Home qualities: Good Very Good Excellent Add "Very Low" under Quality of Detached Garage for the following Summer Cottage quality: Good
3. Manufactured Homes Structure Rate: Fair Quality No. 5.8, Page 11	Correct the Fair 32' width rates.
4. Garage: Built-In Garage Definition No. 6.2, Page 1	Correct the following wording: A built-in garage has main dwelling living area both adjacent to and above the garagemain dwelling.
5. Detached Garage Significantly Different from the Main Dwelling Exceptions Table No. 6.2, Page 1	Add "Very Low" under Quality of Detached Garage for the following Single Family or Multi- Family Dwelling; A-Frame Summer Cottage; Manufactured Home qualities: Good Very Good Excellent Add "Very Low" under Quality of Detached Garage for the following Summer Cottage quality: Good

Topic/Location	2015 Cost Guide Amendment
6. 2-Storey Garage No. 6.2, Page 2	Revise the following wording: When calculating the replacement cost new of a 2-Storey garage with living area above the garage "there are two"use the following type variations instead of the detached garage wall height adjustment: • 2-Storey detached garage - for living area with fFull eExterior wWalls use — % of the detached garage structure rate and • 2-Storey detached garage - for living area with a hHigh-pPitched rRoof use — % of the detached garage structure rate.
	Add the following wording: Use the wall height adjustment based on the wall height of the ground floor area of the 2-Storey garage.
7. Detached Garage description - Fair quality No. 6.2, Page 5	Correct the font size for the following phrase: O Hinged "door or low cost overhead door, pedestrian door and windows"
8. 2-Storey Detached Garage - Full Exterior Walls Structure Rate	Add the 2-Storey Detached Garage - Full Exterior Walls Structure Rate table.
2-Storey Detached Garage - High-Pitched Roof Structure Rate No. 6.2, Page 6	Add the 2-Storey Detached Garage - High-Pitched Roof Structure Rate table.

Topic/Location	2015 Cost Guide Amendment
9. Attached or Built-In Garage Calculation Procedure No. 6.2, Page 7	Correct the formula as follows: Attached or Built In Garage Calculation Procedure
	 a) Structure Rate = (a₁ *+ a₂) x a₃ a₁. Square Foot Rate " ba₂. Garage Finish Adjustment" a₃. Wall Height Adjustment b) Structure Rate Adjustments = (+ b₁ + b₂) b₁. Garage Finish Adjustment b₁. Garage Floor Adjustment
Detached Garage Calculation Procedure	Delete the Detached Garage Calculation Procedure
Detached Garage with a Second Story Calculation Procedure	Delete the Detached Garage with a Second Story Calculation Procedure.
10. Detached Garage Photo -Very Good Quality No. 6.2, Page 9	Correct the following photo caption: "2-Storey" Detached Garage "(High- Pitched Roof Type Variation)" - Very Good Quality