

<u>assessment_id</u>	<u>sale_id</u>	<u>Vacant Improved</u>	<u>ASR</u>
100CL-707004050	1524519	Vacant	0.34
100TR-505005250	2192045	Vacant	1.14
101SP-303001650	1579596	Vacant	1.00
101SP-303001650	2223190	Vacant	0.33
101SP-303002910	1533480	Vacant	0.95
101SP-303002940	2002890	Vacant	1.00
101SP-303003000	2245273	Vacant	1.00
101SP-303003500	1056158	Vacant	0.65
101SP-303004650	1055821	Vacant	0.65
103MA-303005000	2214111	Vacant	1.07
CODER-505002980	2235536	Vacant	1.00
CODER-505003000	2235535	Vacant	1.00
CODER-505004600	2201531	Vacant	1.15
DUVAL-505007450	2183996	Vacant	2.31
HOLDF-505000850	2124774	Improved	1.50
HOLDF-505006150	1539841	Improved	0.98
HOLDF-505007400	2171135	Improved	0.42
HOLDF-505007600	1520778	Improved	1.29
HOLDF-505008000	2006206	Improved	1.00
HOLDF-505014250	1572764	Improved	1.26
HOLDF-505017200	1582770	Improved	0.52
HOLDF-505018100	1559975	Vacant	0.53
KEELE-505001700	1528168		0.94
KEELE-505009200	2005472		2.00
KEELE-505009300	2216873		2.50