

<u>assessment_id</u>	<u>sale_id</u>	<u>Vacant Improved</u>	<u>ASR</u>	<u>master stratification</u>	<u>sub_master stratification</u>
ALVEN-505001200	2180190	Vacant	0.65	VL_Alven	4,236
ALVEN-505001700	928068	Improved	1.21	MAF_Alven	4,239
ALVEN-505002050	2236136	Vacant	1.00	VL_Alven	4,236
ALVEN-505002100	2236137	Vacant	1.00	VL_Alven	4,236
ALVEN-505002150	2236138	Vacant	1.00	VL_Alven	4,236
ALVEN-505002700	1517436	Vacant	1.08	VL_Alven	4,236
ALVEN-505003250	987721	Improved	2.34	MAF_Alven	4,239
ALVEN-505003300	2206801	Improved	0.89	MAF_Alven	4,239
ALVEN-505007550	2208972	Improved	0.82	MAF_Alven	4,239
ALVEN-505008750	2014348	Improved	0.75	MAF_Alven	4,239
ALVEN-505008850	1576321	Vacant	1.67	VL_Alven	4,236
ALVEN-505009250	1506377	Improved	3.14	MAF_Alven	4,239
ALVEN-505009800	872368	Improved	1.00	MAF_Alven	4,239