

<u>assessment_id</u>	<u>sale_id</u>	<u>Vacant Improved</u>	<u>ASR</u>	<u>master stratification</u>	<u>sub master stratification</u>
BEAVE-505002350	2101777	Improved	0.86	MAF_228_110	4,317
BEAVE-505002650	1509561	Improved	1.21	MAF_228_110	4,317
BEAVE-505004000	1523752	Improved	0.88	MAF_228_110	4,317
BEAVE-505004450	1520841	Improved	0.98	MAF_228_110	4,317
BEAVE-505004800	1524683	Improved	1.19	MAF_228_110	4,317
BEAVE-505005000	2171215	Improved	1.25	MAF_228_110	4,317
BEAVE-505005250	1524684	Improved	0.76	MAF_228_110	4,317
BEAVE-505005450	2213576	Improved	1.00	MAF_228_110	4,317
BEAVE-505005500	1521683	Improved	1.17	MAF_228_110	4,317
BEAVE-505005700	1515698	Improved	1.14	MAF_228_110	4,317
BEAVE-505005950	1548265	Improved	1.00	MAF_228_110	4,317
BEAVE-505006250	2213069	Improved	1.01	MAF_228_110	4,317
BEAVE-505006450	2056281	Improved	1.10	MAF_228_110	4,317
BEAVE-505006900	1519074	Improved	0.82	MAF_228_110	4,317
BEAVE-505007500	2200219	Improved	0.97	MAF_228_110	4,317
BEAVE-505008400	1505973	Improved	0.99	MAF_228_110	4,317
BEAVE-505008450	1575454	Improved	0.94	MAF_228_110	4,317
BEAVE-505008650	1569613	Improved	0.97	MAF_228_110	4,317
BEAVE-505009050	1564019	Improved	0.82	MAF_228_110	4,317