

<u>assessment_id</u>	<u>sale_id</u>	<u>Vacant Improved</u>	<u>ASR</u>	<u>master stratification</u>	<u>sub master stratification</u>
MISTU-505001650	2082152	Improved	0.91	MAF_224PA	4,319
MISTU-505002150	1578844	Improved	1.12	MAF_224PA	4,319
MISTU-505002250	2220442	Improved	0.88	MAF_224PA	4,319
MISTU-505003150	1558805	Improved	1.01	MAF_224PA	4,319
MISTU-505003200	1575435	Improved	1.23	MAF_224PA	4,319
MISTU-505003350	2039937	Improved	1.30	MAF_224PA	4,319
MISTU-505003800	2218394	Improved	1.11	MAF_224PA	4,319
MISTU-505004000	2098586	Improved	0.99	MAF_224PA	4,319
MISTU-505004200	1553412	Improved	1.10	MAF_224PA	4,319
MISTU-505004200	2208063	Improved	1.03	MAF_224PA	4,319
MISTU-505005700	1569608	Improved	1.02	MAF_224PA	4,319
MISTU-505006300	1053413	Improved	0.67	MAF_224PA	4,319
MISTU-505006350	1562082	Improved	0.95	MAF_224PA	4,319
MISTU-505007100	2214847	Improved	0.89	MAF_224PA	4,319
MISTU-505007500	1565781	Improved	1.16	MAF_224PA	4,319
MISTU-505007650	2080217	Improved	0.90	MAF_224PA	4,319
MISTU-505009400	1556180	Improved	0.98	MAF_224PA	4,319
MISTU-505009450	1575437	Improved	0.95	MAF_224PA	4,319
MISTU-505009600	2012105	Improved	0.75	MAF_224PA	4,319
MISTU-505009650	1583218	Improved	0.82	MAF_224PA	4,319
MISTU-505010800	1522567	Improved	1.12	MAF_224PA	4,319