

<u>assessment_id</u>	<u>sale_id</u>	<u>Vacant Improved</u>	<u>ASR</u>	<u>master stratification</u>	<u>sub master stratification</u>
PANGM-505005650	1527134	Improved	0.99	PANGM_MAF	4,525
PANGM-505005800	925243	Vacant	0.80	VL_PANGM	4,206
PANGM-505005800	1567215	Vacant	1.33	VL_PANGM	4,206
PANGM-505008800	987327	Vacant	0.80	VL_PANGM	4,206
PANGM-505009350	2232157	Improved	1.14	PANGM_MAF	4,525
PANGM-505010450	1006329	Vacant	0.98	VL_PANGM	4,206
PANGM-505011450	1562034	Vacant	1.02	VL_PANGM	4,206
PANGM-505011940	1545341	Improved	1.90	PANGM_MAF	4,525
PANGM-505012050	2065191	Improved	1.01	PANGM_MAF	4,525
PANGM-505012400	1513549	Improved	1.27	PANGM_MAF	4,525
PANGM-505013600	2196574	Improved	0.90	PANGM_MAF	4,525
PANGM-505013950	1517219	Improved	0.50	PANGM_MAF	4,525
PANGM-505013950	2185068	Improved	0.87	PANGM_MAF	4,525
PANGM-505014000	1545697	Improved	0.70	PANGM_MAF	4,525
PANGM-505016100	1545699	Improved	1.49	PANGM_MAF	4,525
PANGM-505016200	932199	Vacant	1.03	VL_PANGM	4,206