

| assessment_id   | sale_id | Vacant_Improved | ASR  |
|-----------------|---------|-----------------|------|
| BROCK-505000150 | 2082393 | Improved        | 0.88 |
| BROCK-505000300 | 948080  | Vacant          | 0.23 |
| BROCK-505000950 | 1574859 | Vacant          | 1.25 |
| BROCK-505001000 | 1508972 | Improved        | 1.00 |
| BROCK-505001450 | 1004765 | Vacant          | 1.17 |
| BROCK-505002650 | 1503045 | Vacant          | 0.88 |
| BROCK-505004550 | 1505095 | Improved        | 1.63 |
| BROCK-505004550 | 2216086 | Improved        | 1.21 |
| BROCK-505004850 | 945475  | Vacant          | 0.78 |
| BROCK-505005700 | 914992  | Vacant          | 0.94 |
| BROCK-505005900 | 2042464 | Improved        | 0.76 |
| BROCK-505008300 | 1527697 | Improved        | 1.04 |
| BROCK-505009100 | 1521983 | Improved        | 0.70 |
| BROCK-505009400 | 2183459 | Improved        | 0.89 |
| BROCK-505009500 | 931190  | Vacant          | 1.14 |
| BROCK-505010650 | 964068  | Vacant          | 1.00 |
| BROCK-505010850 | 914826  | Vacant          | 1.88 |
| BROCK-505011300 | 1583560 | Improved        | 1.45 |