

assessment_id	sale_id	Vacant_Improved	ASR
BURST-505001050	2451632	Improved	0.70
BURST-505004100	2386306	Improved	1.13
BURST-505006300	2335626	Vacant	1.85
BURST-505006350	2432443	Vacant	1.00
BURST-505006600	2393125	Improved	1.72
BURST-505007300	2415265	Improved	3.04
BURST-505007500	2435600	Improved	1.17
BURST-505009450	2433799	Improved	0.45
BURST-505009650	2286123	Vacant	1.01
BURST-505010550	2351998	Improved	1.19
BURST-505011200	2442267	Vacant	1.00
BURST-505012950	2350859	Improved	0.91
BURST-505013700	2373811	Improved	0.86
BURST-505015300	2376841	Improved	0.90
BURST-505015300	2449821	Improved	0.73
BURST-505015800	2447606	Improved	1.12
BURST-505020550	2360638	Improved	1.18
BURST-505023600	2393486	Improved	1.14
BURST-505024550	2415233	Improved	0.72
BURST-505024850	2406095	Improved	1.04
BURST-505025450	2366399	Improved	0.92
BURST-505026800	2362216	Improved	1.40
BURST-505027400	2442025	Improved	0.68
BURST-505027700	2360464	Improved	0.97
BURST-505031400	2432421	Improved	1.03
BURST-505031600	2438636	Improved	0.98
BURST-505032000	2394169	Improved	0.75
BURST-505032600	2430883	Improved	2.19
BURST-505033800	2380851	Improved	1.16
BURST-505034000	2386858	Improved	0.36