

assessment_id	sale_id	Vacant_Improved	ASR
BRADW-505011900	2383379	Vacant	1.20
BRADW-505016850	2256942	Vacant	0.86
BRADW-505017100	2345841	Vacant	1.00
COLON-505004150	2434241	Improved	1.13
COLON-505006100	2440221	Improved	1.00
COLON-505006450	2385826	Improved	0.82
COLON-505006500	2391576	Improved	0.98
COLON-505007400	2267136	Improved	1.42
COLON-505008800	2371397	Improved	1.03
COLON-505008900	2383492	Improved	0.94
COLON-505009000	2384243	Improved	0.76
COLON-505009050	2293065	Improved	1.09
COLON-505009450	2266419	Improved	1.48
COLON-505012100	2412158	Improved	0.75
COLON-505014000	2261809	Improved	1.11
COLON-505015300	2367765	Improved	1.04
COLON-505016150	2445079	Improved	0.99
COLON-505016500	2371947	Improved	1.05
COLON-505017000	2415388	Improved	0.71
COLON-505018350	2416681	Improved	0.87
COLON-505018400	2441025	Improved	1.11
COLON-505018700	2320788	Improved	0.94
COLON-505019000	2379160	Improved	0.95
COLON-505019050	2437420	Improved	0.87
COLON-505019480	2391102	Improved	1.27
COLON-505077100	2260419	Vacant	1.00