

| assessment_id   | sale_id | Vacant_Improved | ASR  |
|-----------------|---------|-----------------|------|
| DINSM-505000900 | 2434702 | Improved        | 0.47 |
| DINSM-505002300 | 2376468 | Vacant          | 1.04 |
| DINSM-505003450 | 2430891 | Improved        | 2.92 |
| DINSM-505005650 | 2384416 | Improved        | 0.58 |
| DINSM-505006550 | 2381623 | Improved        | 0.80 |
| DINSM-505007150 | 2404086 | Improved        | 0.54 |
| DINSM-505007800 | 2348527 | Improved        | 1.03 |
| DINSM-505007800 | 2453928 | Improved        | 1.32 |
| DINSM-505008650 | 2379214 | Improved        | 0.87 |
| DINSM-505009150 | 1562186 | Vacant          | 1.00 |
| DINSM-505009160 | 1563460 | Vacant          | 0.97 |
| DINSM-505010300 | 2378567 | Improved        | 1.01 |
| DINSM-505011700 | 2419579 | Improved        | 1.46 |
| DINSM-505012850 | 2373122 | Improved        | 0.98 |
| DINSM-505014000 | 2392144 | Improved        | 1.37 |
| DINSM-505015150 | 2391728 | Improved        | 0.75 |
| DINSM-505015350 | 2375020 | Improved        | 1.41 |
| DINSM-505016350 | 2356736 | Improved        | 0.78 |
| DINSM-505021850 | 2380619 | Improved        | 0.95 |
| DINSM-505022600 | 2377663 | Improved        | 0.82 |
| DINSM-505022700 | 2396944 | Improved        | 1.10 |
| DINSM-505022900 | 2444042 | Improved        | 1.82 |
| DINSM-505023650 | 2377010 | Improved        | 1.28 |