

assessment_id	sale_id	Vacant_Improved	ASR
MORSE-505000650	2307684	Improved	0.83
MORSE-505000650	2470219	Improved	0.84
MORSE-505000900	2257791	Improved	1.03
MORSE-505001050	2387875	Improved	0.69
MORSE-505006250	2431650	Improved	0.63
MORSE-505007150	2312504	Improved	1.07
MORSE-505007150	2411602	Improved	1.04
MORSE-505008350	2441845	Improved	0.94
MORSE-505008750	2294597	Vacant	0.47
MORSE-505009200	2296274	Improved	1.42
MORSE-505010350	2011121	Vacant	0.52
MORSE-505010650	2356181	Improved	0.80
MORSE-505011350	1562491	Vacant	1.73
MORSE-505011450	1502474	Vacant	1.73
MORSE-505011650	2394975	Improved	1.05
MORSE-505012450	2334630	Improved	0.92
MORSE-505016950	2393703	Improved	1.23
MORSE-505017350	2432122	Improved	1.45
MORSE-505022900	2383838	Improved	1.05
MORSE-505023300	2399065	Improved	0.84
MORSE-505023450	2439370	Improved	1.46
MORSE-505023950	2374786	Improved	0.77
MORSE-505024000	2433664	Improved	1.11
MORSE-505026550	2436171	Improved	0.98
MORSE-505034450	2406474	Vacant	0.24
MORSE-505035000	2389401	Vacant	1.73
MORSE-505037400	2011129	Vacant	1.02